ORIGINAL ARTICLE

The Prevalence of Alcohol Dependence Syndrome among Seniors Hospitalised in the Psychogeriatric Wards of the Kromeriz Psychiatric Hospital – comparison of the years 2001 and 2011



LUŽNÝ, J. ^{1,2}, BIČAN, V. ¹, HONZÁK, F. ¹, VÝROSTKOVÁ, O. ¹, BLAŽKOVÁ, M. ¹, POSPÍŠILOVÁ, I. ¹, INDRÁKOVÁ, A. ¹, DEDEK, M. ¹

Citation: Lužný, J., Bičan, V., Honzák, F., Výrostková, O., Blažková, M., Pospíšilová, I., Indráková, A., Dedek, M. (2013). Prevalence syndromu závislosti na alkoholu u seniorů hospitalizovaných na gerontopsychiatrickém lůžku Psychiatrické léčebny Kroměříž – srovnání let 2001 a 2011. *Adiktologie*, 13(1), 8–13.

BACKGROUND: The latest demographic trends, marked by the ageing of the population, suggest that senior citizens must be taken into consideration as a significant and specific group of consumers of health and social services. While often hidden and previously disregarded, alcohol misuse and alcohol dependence pose a major problem among this population, as shown by recent prevalence estimates. AIMS: The aim of the study was to compare the prevalence of alcohol dependence among seniors hospitalised in the psychogeriatric wards of the Kromeriz Psychiatric Hospital between 2001 and 2011. DESIGN AND MEASUREMENTS, PARTICIPANTS: Computerised medical records were analysed and the data concerning the prevalence of alcohol dependence among senior patients for the

years 2001 (1087 patients) and 2011 (1012 patients) were compared. **RESULTS:** In 2001 alcohol dependence was the primary admission diagnosis in 30 patients (2.8% of all psychiatric admission diagnoses), while in 2011 alcohol dependence was the primary admission diagnosis in 69 patients (6.8% of all psychiatric admission diagnoses). **CONCLUSION:** Between 2001 and 2011 there was a twofold increase in the prevalence of alcohol dependence as the primary admission diagnosis among seniors hospitalised in the Kromeriz Psychiatric Hospital.

KEY WORDS: ALCOHOL DEPENDENCE – SENIORS – GENDER – PSYCHIATRIC HOSPITALISATION – INCREASE IN PREVALENCE

Submitted: 22 / AUGUST / 2012 Accepted: 18 / FEBRUARY / 2013

Address for correspondence: Jan Lužný, MD, PhD / luznyj@plkm.cz / Kromeriz Psychiatric Hospital, Havlíčkova 1265, 767 40 Kroměříž, Czech Republic

¹ Kromeriz Psychiatric Hospital, Czech Republic

² Department of Epidemiology and Public Health, Faculty of Medicine, University of Ostrava, Czech Republic